

DERWENT-ACC-NO: 1994-274116  
DERWENT-WEEK: 199434  
COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Lamp reflector for motor vehicles - comprises polyester compsn. contg. polyethylene terephthalate, polybutylene terephthalate and inorganic reinforcing material

PATENT-ASSIGNEE: TOYOBO KK[TOYM]

PRIORITY-DATA: 1992JP-0349291 (December 28, 1992)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE
PAGES	MAIN-IPC	
JP 06203613 A	July 22, 1994	N/A
004	F21Q 001/00	

APPLICATION-DATA:

PUB-NO	APPL-DESCRIPTOR	APPL-NO
APPL-DATE		
JP06203613A	N/A	1992JP-0349291
December 28, 1992		

INT-CL\_(IPC): C08K003/00; C08K007/02 ; C08L067/02 ;  
F21M003/02 ;  
F21M007/00 ; F21Q001/00

ABSTRACTED-PUB-NO: JP06203613A

BASIC-ABSTRACT: Lamp reflector for motor car is formed of polyester resin compsn. contg. 100 pts. wt. polyethylene terephthalate, 60-200 pts. wt. polybutylene terephthalate, and 0-200 pts. wt. inorganic reinforcing material.

Pref. the inorganic reinforcing material comprises glass fibre, carbon fibre, whiskers, talc, clay, wollastonite, bentonite, montmorillonite, etc.

ADVANTAGE - The lamp reflector reduces moisture deposition at high temps. while retaining its good surface and form. No clouding is observed

on its gpass  
plane. The lamp reflector is used at high temps.

CHOSEN-DRAWING: Dwg.1/4

TITLE-TERMS:

LAMP REFLECT MOTOR VEHICLE COMPRISE POLYESTER COMPOSITION  
CONTAIN POLYETHYLENE  
TEREPHTHALATE POLYBUTYLENE TEREPHTHALATE INORGANIC REINFORCED  
MATERIAL

DERWENT-CLASS: A23 A89 Q71 X22 X26

CPI-CODES: A05-E04E; A12-T04A;

EPI-CODES: X22-B01B; X26-D01;

UNLINKED-DERWENT-REGISTRY-NUMBERS: 1541U; 1949U ; 5034U ;  
5086U ; 5214U ; 5403U

ENHANCED-POLYMER-INDEXING:

Polymer Index [1.1]

017 ; P0839\*R F41 D01 D63 ; P0884 P0839 H0293 F41 D01 D11  
D19 D31

D50 D63 D90 E21 ; P0895 P0839 H0293 F41 D01 D11 D19 D31  
D50 D63

D92 E21

Polymer Index [1.2]

017 ; ND01 ; ND04 ; K9745\*R ; Q9999 Q9289 Q9212 ; Q9999  
Q9234 Q9212

; Q9999 Q7658 ; K9892 ; B9999 B3509 B3485 B3372 ; B9999  
B3178 ;

K9461 ; B9999 B5276\*R ; B9999 B4717 B4706 B4568

Polymer Index [1.3]

017 ; D00 G3190 R01541 F80 O\* 6A Mg 2A Si 4A G3418 Ca ;  
R01949 D00

F80 O\* 6A Al 3A Si 4A ; R03126 D00 F80 H\* O\* 6A Al 3A Si  
4A ; R16529

D00 F80 Al 3A Si 4A O\* 6A ; A999 A419

Polymer Index [1.4]

017 ; D00 ; A999 A419 ; S9999 S1683

Polymer Index [1.5]

017 ; G2891 D00 Si 4A ; R05086 D00 D09 C\* 4A ; S9999  
S1070\*R ; A999

A419

POLYMER-MULTIPUNCH-CODES-AND-KEY-SERIALS:

Key Serials: 0011

0054  
0057  
0060  
0063  
0066  
0069  
0138  
0141  
0144  
0147  
0150  
0153  
0165  
0168  
0171  
0205  
0213  
0218  
0226  
0231  
1288  
1291  
1462  
2213  
2214  
2215  
2220  
2609  
2655  
2669  
2827  
2829  
3178  
3179  
3251  
3300

Multipunch Codes: 017

02&  
04-  
040  
06-  
08&  
09&  
09-  
10&

10-  
143  
144  
15-  
155  
163  
166  
17&  
17-  
171  
173  
18&  
18-  
19&  
19-  
20&  
20-  
229  
23&  
308  
309  
331  
42&  
441  
504  
53&  
532  
533  
535  
541  
549  
57&  
597  
615  
654  
672  
722  
723

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1994-125258

Non-CPI Secondary Accession Numbers: N1994-216032